

## ETML070016NDHA

### Features:

- 7-inch 1024\*600 resolution IPS TFT display module
  - 16.7M colors
  - Brightness: 425 nits with capacitive touch screen
  - LCM Interface: LVDS
  - Capacitive touch Interface: USB
  - Super Wide View: 85/85/85/85(L/R/U/D)
  - The capacitive touch panel can be flexibly customized with features such as water rejection, glove support, etc.
  - The cover lens can be customized with thickness, printing, coating and etc.
- 

[Print](#)

### ???

#### Overall(General Specification)


Part number	ETML070016NDHA
Size	7 inch
Resolution	1024RGB x 600
Outline Dimensions	166.2 x 100.3 x 11.0 mm
Active Area (A.A.)	154.2144 x 85.92 mm
Panel Type	IPS-TFT LCD, Transmissive, Normally Black, Anti-Glare With Capacitive Touch
Viewing Angle(L/R/U/D)	Super Wide View, 85/85/85/85
Brightness	425 nits
LED lifetime(hrs)	50K

???

Interface	LCM: LVDS Capacitive Touch: USB
Power	
VCOM	Yes
LED Driver	Yes
Environment	
Operating Temperature	-20 to 70 °C
Storage Temperature	-30 to 80 °C

ETML070016NDHA | 1024(RGB) x 600

DIMENSIONS



Not to scale

